

Application S/N 10/643,327
Amendment Dated: December 15, 2005
Response to Office Action dated: August 15, 2005

CE11193JI210

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (currently amended) An electronic device, comprising:

a first processor;

a second processor coupled to the first processor;

shared memory coupled to the first and second processors; and

wherein the first processor manages the shared memory and dynamically

allocates a message buffer to the second processor based on a specific request from the second processor ~~whenever the second processor needs~~ to send a message to the first processor, and wherein the first processor sends a message buffer pointer to the second processor that directs the second processor to the message buffer.

2. (original) An electronic device as defined in claim 1, wherein the first processor sends the message buffer pointer to the second processor in response to receiving an empty buffer request from the second processor.

3. (original) An electronic device as defined in claim 2, wherein after receiving the message buffer pointer the second processor fills the message buffer with the message.

Application S/N 10/643,327
Amendment Dated: December 15, 2005
Response to Office Action dated: August 15, 2005

CE11193JI210

4. (original) An electronic device as defined in claim 3, wherein after filling up the message buffer with the message, the second processor passes the message buffer pointer to the first processor.
5. (original) An electronic device as defined in claim 4, wherein the first processor reads the message from the message buffer after receiving the message buffer pointer.
6. (original) An electronic device as defined in claim 5, wherein after reading the message, the first processor releases the message buffer.
7. (original) An electronic device as defined in claim 1, wherein a plurality of buffers assigned to the second processor are located in the shared memory.
8. (original) An electronic device as defined in claim 7, wherein the plurality of buffers assigned to the second processor are used by the second processor without having to request them from the first processor.
9. (original) An electronic device as defined in claim 8, wherein when the second processor needs to send a message to the first processor it loads a starting address of the message in one of the plurality of buffers assigned to the second processor.

Application S/N 10/643,327
Amendment Dated: December 15, 2005
Response to Office Action dated: August 15, 2005

CE11193JI210

10. (original) An electronic device as defined in claim 1, wherein the electronic device comprises a radio communication device.
11. (original) A method for providing interprocessor communication between first and second processors using a shared memory, the first processor assigned to manage the shared memory, the method comprising the steps of:
- (a) sending a request from the second processor requesting an empty message buffer from the shared memory when the second processor needs to send a message to the first processor;
 - (b) sending a message buffer pointer from the first processor to the second processor in response to the request sent in step (a);
 - (c) using the message buffer pointer by the second processor to locate the empty message buffer in the shared memory where the message is going to be loaded; and
 - (d) loading the empty message buffer with the message.
12. (original) A method as defined in 11, further comprising the step of:
- (e) sending the message buffer pointer back to the first processor.
13. (original) A method as defined in claim 12, wherein in response to step (e) the first processor performs the step of:
- (f) reading the message.

Application S/N 10/643,327
Amendment Dated: December 15, 2005
Response to Office Action dated: August 15, 2005

CE11193J1210

14. (original) A method as defined in claim 13, further comprising the step of:

(g) releasing the empty message buffer once step (f) has been performed.

15. (currently amended) A method for providing interprocessor communication between first and second processors using a shared memory, the first processor assigned to manage the shared memory, the method comprising the steps of:
at the first processor:

(a) dynamically allocating a memory buffer from the shared memory for use in loading a message to be sent to the second processor in response to a specific request from the second processor;

(b) loading the message in the memory buffer;

(c) sending a message buffer pointer to the second processor; and

at the second processor:

(d) using the message buffer pointer to locate the message in the shared memory.

16. (original) A method as defined in claim 15, further comprising the step of:

at the second processor:

(e) reading the message; and

(f) sending the message buffer pointer back to the first processor.

Application S/N 10/643,327
Amendment Dated: December 15, 2005
Response to Office Action dated: August 15, 2005

CE11193JI210

17. (original) A method as defined in claim 16, wherein the first processor upon receiving the message buffer pointer sent in step (f), releases the allocated memory buffer so it can be used for a future message.
18. (original) A method as defined in 15, wherein step (c) is performed by the first processor sending the starting address of the allocated memory buffer to a memory located in the second processor.
19. (original) A method as defined in claim 18, wherein the first processor sends an interrupt to the second processor once it has loaded the starting address of the allocated memory buffer in the memory located in the second processor.